

Future Smart City with less Traffic Congestion Model Enabled by (IoT)

Bhuvnesh Pathania¹, Dr.Gurvinder Singh²

¹Department of *Computer Science Applications*, Arni University, Kathgarh Indora H.P, India

²Dean Technology, Arni University, Kathgarh Indora H.P, India

ABSTRACT

The advancement in wireless telecommunication network has increase the accessibility of more users to wireless connectivity. With the advent of the fifth-generation (5G) wireless network, a seamless connectivity is available for internet users globally. A future smart city is a metropolis that utilizes information and communication technologies (ICT) to grow its functionality effectively to disseminate information among the public and to develop the quality of government facilities and the welfare of the citizen. The Internet of Things (IoT) refer to the interconnection of several systems, devices or physical objects/things which are driven by sensors, software, and other equipment in order to interconnect and interchange data with other devices and systems through the internet. The Internet of things (IoT), is a revolutionary method that allows a diverse number of applications to be interconnected in order to create a single communication architecture. Future smart city has resulted in the increase in population, hence there is need to develop a smart traffic light system to help in managing the problem of future smart city; traffic congestion. The Internet of Things (IoT) a key features necessary for employing a large-scale in IoTs are low-cost sensors, high-speed and error-tolerant data communications, smart computations, and numerous applications which helps in solving these challenges associated with traffic congestion. It enables a smart environment, smart energy, and smart transportation system. In this paper, we shall discuss IoT technology, review some literatures on application area of Internet of Things (IoT), and challenges of IoT. And also discuss the applications of IoT, in smart city development, and traffic congestion management in smart city design, and how it proffers solution to future smart city problem.

Keywords: Internet of Things, Future Smart City, traffic congestion

INTRODUCTION

According to projections, nearly 70% of the world population will live in urban areas by 2050. While some megacities are already struggling to cope with the current inflow of people, we need to create smart cities in order to make these urban areas more liveable and truly sustainable.

Barbara et al. (2013), focused on the quality of life as an essential Smart City mainstay to guarantee the orientation towards a better lifestyle for citizens.

British standards Institutes, (BSI, 2014), a smart city can be define as an urban area (encompassing possibly different areas and scales of the city –street, plaza, neighbor-hood or, ultimately, an entire city) that uses electronic data collection sensors located in infra-structures, buildings, vehicles, institutions, and devices (Io T, Internet of Things) to supply real-time information of the main cities' operating systems.

Lee et al. (2014), define a smart city as an inventive, viable region that increases the value of life, produces pleasant surroundings, and the predictions of profitable growth for its resident.

Zanella et al. (2014), viewed a smart city as a critical area, that helps to improve the usage of community assets, and the enhancement of valuable amenities accessible to residents, while decreasing operating overheads of community management.

Badii et al. (2020), identified that IoT applications are used to enable smart city platforms, they are developing across society and multitenancy IoT platforms and applications. It permits the increase in enormous structures that supports several establishments. It increases scalability and decreases infrastructural overheads as they are collectively shared between multiple operators.

Biyik et al. (2021), Intelligent Transportation Systems or Smart Transportation is defined as “The application of advanced sensor, computer, electronics, and communication technologies, and management strategies in an integrated manner to improve the safety and efficiency of the surface transportation system”.

Cepeliauskaite, et al. (2021), observed that numerous IoT devices enable smart city mechanisms. This help in improvement and sustainability of smart city societies. Smart mobility solutions are only way to establishing near no emissions, enhancing traffic flow, and improving the implementation of smart transport and IoT models.

Traffic congestion has become a major problem in most urban cities in the world. This is as a result of urbanization problem and the increase in the number of vehicles on the road and poor road infrastructure.

1. RELATED LITERATURE

Artificial neural networks (ANN) comprises of back propagation neural networks, radial basis function neural networks and fuzzy-neural network, these neural networks are capable of approximating non-linear functions and execute outstandingly depending on the type of datasets used for its training and testing and the field of applications, (Zhang et al.2011)

Today, exposure of machine learning has led to industrial expansion; and also it is used in transportation reason is, its capacities of artificial intelligence. And machine learning major area is artificial neural networks. This machine learning technique has exceptional analytical abilities, it could adapt to learning, associative and memory features and large-scale and dispersed processing features (Yang et al. 2016).

In previous days, transportation researchers used Kalman Filter, Hidden Markov and ARIMA models in predicting the traffic volume, by means of conventional techniques through geographical positional sensors. But, due to high costs of installing sensors on roadside, its usage has been limited. The increase in inventive growth of mobile internet, artificial intelligence, movable devices are commonly useful and the ease in retrieving user data (Yin et al. 2016).

Convolution Neural Networks (CNN) can be used to capture spatial features and Recursive Neural Networks (RNN) to capture sequential characteristics. Neural networks comprise of variations and hybrid models, which are used in traffic flow forecasts.

But in now a day’s artificial intelligence has been successfully used in several areas of transportation, such as service computing methods, edge computing methods and social networks, (Denget al. 2016).

Generally, for traffic congestion there are manual traffic control systems, which require a high number of personnel to handle intersections. The manual systems have poor traffic rules and personnel strength, and the establishments cannot efficiently manage the traffic system in cities effectively, due to the large volume of vehicles and population with the manual system.

Syed et al. (2021) identified a smart city to be made up of several components as shown in figure 1. The first aspect of smart city applications is data collection; the second is data transmission/reception; the third is data storage, and the fourth is data analysis. Data collection is application-dependent, and it has

been driven majorly by sensor development in a variety of fields. The data transfer from the data gathering units is sent to the cloud for storage and the analysis is the second phase. Many smart city initiatives include city-wide Wi-Fi networks, and 3G, 4G and 5G technologies; they are employed in various forms of local networks that transmit data on a local or global basis.




Fig.1 The components of a smart city.

The internet of things (IoT) is core in smart city development; it is the enabling technology that enables ubiquitous digitization that gives rise to smart city development. The internet of things (IoT) refers to the ubiquitous connection of objects to the internet, which allows different devices to communicate data to the cloud and also obtain information for implementation activities. IoT involves the assembly of data and the use of data analytics to extract information which assist in decision-making and policy-making, Ramson et al. (2020).

Huang and Nazir (2021), shown that IoT and big data help in the management and analysis of a smart city. They compared the older city and the new smart city concept and the role of IoT devices in smart city development, as shown in Fig. 2.



Fig.2 Old city versus smart city localities.

The Figure.2 shows how a smart city is more organized in way when compared with a traditional city. The city is well managed with better road network housing units and near about no vehicle emissions. The port, residential areas, and industrial areas are well planned.

2. SOME SMART CITY CHALLENGES ARE AS FOLLOWS:

Implementation Challenge

Ron and Friedemann (2015), see that some application challenges faced by the Internet of Things, which include the cost of implementation, with the expectation that the technology must be available at a low cost, irrespective of the number of devices implemented.

Expandability

Internet of Things has a vast concept than the conventional Internet of computers; Internet of things is incorporated within an open environment. Basic functionality such as communication and service delivery needs efficient functionality for both small-scale and large-scale environments. The IoT requires a new functional method for efficient operational scalability.

Data Mass

Some application of the internet of things involves up-to-date communication and information gathering from sensor networks. Logistics and large-scale networks collect a huge volume of data from central network nodes or servers. Big data is required to implement large operational technology and to store such information, process, and manage a large volume of data.

Interface

Each smart device in Internet of Things has different information, processing, and communication capabilities. These devices are subjected to different conditions, such as energy availability and communication bandwidth requirements. To facilitate this, communication and cooperation of these devices are required. These common standards help the objects to communicate properly.

Secrecy of Smart City

In any smart city development, security and privacy are of key importance. Any inconsistency in the operations of the city's services would be of great danger to the populaces and put human lives and property in great danger. Smart cities need that the infrastructures must be online so that security difficulties will not be a major issue. In present situation where cybercrime and warfare have become a major global issue, smart cities are increasingly becoming vulnerable to such cyber attacks. Data transmission over the network must be secured. Citizens' trust and involvement are required for smart city programs to succeed. The development of sensors in smart cities helps to collect data from user's activities daily; this exposes residents to daily attacks by hackers, (Ashraf et al. 2020).

EQUIPMENT OF SMART SENSORS

Ashraf and Ahmed, (2020), discovered that sensor equipment shares data, schedules responsibilities between them, and combines data to have an efficient smart city. Expansion and acceptance of open procedures and data layouts is a solution to this difficulty, it allows manufacturers to design equipment that can interact with one another, accelerating the implementation of IoT systems. Standard access point nodes for IoT systems interacts with devices using a variety of communication protocols and interpret the information received.

Ashraf and Ahmed, (2020), discovered that different manufacturers have designed their equipment to be interoperable with other protocols. An additional problem with smart sensors is their reliability and robustness. The reliability and accuracy of the IoT system are described as reliability and robustness.

The Internet of Things (IoT) is the strength of future smart city, this makes it significant to their working, and IoT system must provide a seamless experience to its consumers. This demands a quick and accurate reply to service demands submitted by appusers. Each individual in the smart city needs to have access to good services. Decentralized systems should be used to supply vital services like transportation and energy. The dispersed connection points improve the robustness and dependability of the system.

Ashraf et al., (2020), identified different areas of challenges of smart city operations; the operating mechanism involved in the digitalization process necessitates the growth of sensing nodes. With such a large application scope, developing and deploying IoT systems in smart cities presents great difficulties that must be considered. The problems that IoT system designers encounter while making deployments in smart city applications are discussed below. It majorly focuses on the technological problems associated with IoT deployment in smart cities as shown in the figure below. The numerous obstacles that Smart City IoT system implementation faces include: Security and Privacy, smart sensors, Networking, and big data analytical.



Fig. 3 smart city challenges.

Due to growth in road infrastructure and vehicles, handling a traffic and conveyance network has become difficult. The conventional traffic framework has a problem of not detecting the incidence of

vehicles transversely on the separate road, and if a road is free, the traffic indicator waste time. The conventional vehicle controlling structure cannot manage traffic congestions efficiently when there is high density of vehicles on the road.

Traffic congestion has become a major problem in urban cities, most especially at peak periods (morning and closing hour) at intersections, due to an increase in the number of cars on the road. A lot of time is spent in traffic gridlock and accident do occur at this time, emergency vehicles like ambulances are not given priority to pass, and commuters spent time in traffic gridlock.

To solve this problem of traffic congestion problem, we propose a Smart City Smart Transport (SCST), to handle these challenges associated with congestion at intersections during peak hours.

In this paper, we designed and implement a Smart City Smart Transport (SCST), enabled by IoT and machine learning technique.

3. METHODOLOGY

The proposed design is Smart City Smart Transport (SCST).

This Design is modular approach.

The important and various devices used are cameras, sensors, GPS, actuators and RFID tags.

The internet of things make used of the available cloud resources, in establishing processes that integrate and manage the traffic congestion. The SCST utilizes the essential features of IoT, cloud computing, and big data. It helps to enables different devices to communicate using M2M (Machine to Machine). IoT creates a platform for managing traffic-related difficulties (Sodhro, 2019).

The system architecture




Fig.4 the layer Architecture of the smart traffic light

Above design shown in fig.4 is made up of three layers;

1. Application layer :-To consist of smart city application and the smart transportation application.(SCST)
2. Network layer:- It provides interface using services like IP-based internet,3G,4G,LTE, Wi-Fi etc.
3. Perception layer:- It is important layer used to capture road traffic data mass at intersection through the devices mainly RFID Tags, Cameras, GPS, WSN and Sensors.

Working Of System:

Smart City Smart Transport (SCST)

Above shown Design, the following means to obtain the traffic light data, vehicle data, and the road data. Then preprocessed. The traffic data sets collected using both inductive loop sensors and video cameras as acquisition systems and some selected parameters, which includes vehicle speed, time of day, traffic volume and number of vehicles on the road to detect congestions at intersections, is then use to monitor the road density for Smart transport, to de-congest vehicles at intersections and also give priority to emergency vehicles.

From figure 4 above, the IoT application uses the cloud Node facility to communicate with the IoT

devices, and actuators, to send data to the data collection center for pre-processing. It is then stored in the various database, and the traffic dataset is used for Smart transport through the IoT application for Smart City Smart Transport (SCST)

CONCLUSION

To improve the traffic situation, thereby controlling traffic congestions at intersections. The model will regularly update traffic sign programs subject to traffic capacity and projected schedules from neighboring intersections. It will reduce the waiting time by steadily moving vehicles across green signs and also minimize traffic by creating an improved switching time. A case study of Benin City, Edo State is considered, using a Smart City Smart Transport (SCST) based on reinforced learning and IoT technology is considered in this paper. The system will solve the problems associated with more traffic at intersections during peak hours, in areas with high vehicle density, by directing them to alternative routes to eliminate traffic gridlock.

Smart City Smart Transport (SCST)

will positively impact the smart cities' decision-making process. Intelligent decision-making systems in smart mobility offer many advantages such as saving energy, relaying city traffic, and more efficiently, reducing traffic gridlock and air pollution by offering real-time useful information and imperative knowledge. As the system will be self-learning to adjust to the traffic situation, thereby reducing traffic gridlock by prompting commuters of possible congestion ahead at the intersection, so that it can be avoided.

Traffic Mass



Fig. 5 Traffic Mass



Fig. 6. Traffic Mass



Fig7. Traffic dataset obtained at road intersection

4. REFERENCES

1. Bhardwaj, K.K.; Khanna, A.; Sharma, D.K.; Chhabra, A. (2019), Designing energy-efficient IoT-based intelligent transport system: Need, architecture, characteristics, challenges, and applications. In *Energy Conservation for IoT Devices*; Springer: Singapore, pp. 209–233.
2. Bugeja, M.; Dingli, A.; Attard, M.; Seychell, D. (2020), Comparison of Vehicle Detection Techniques applied to IP Camera Video Feeds for use in Intelligent Transport Systems. *Transp. Res. Procedia*, vol. 45, pp.971–978.
3. Al-Turjman, F.; Lemayian, J.P. (2020), Intelligence, security, and vehicular sensor networks in the internet of things (IoT)-enabled smart-cities: An overview. *Comput. Electr. Eng.*, vol.87
4. Chong, Hon Fong, and Danny Wee Kiat Ng. (2016), "Development of IoT device for the traffic management system." 2016 IEEE Student Conference on Research and Development (SCOREd). IEEE.
5. Carignani, M.; Ferrini, S.; Petracca, M.; Falcitelli, M.; Pagano, P. (2015), A prototype bridge between automotive and the IoT. In *Proceedings of the 2015 IEEE 2nd World Forum on Internet of Things (WF-IoT)*, Milan, Italy
6. Hao L, Lei X, Yan Z, ChunLi Y (2012) The application and implementation research of smart city in China. *System Science and Engineering (ICSSE)*, Dalian, Liaoning, China.
7. Dong, Honghui. (2018), "Improved robust vehicle detection and identification based on a single magnetic sensor." *Ieee Access* vol.6 pp.5247-5255.
8. Csorba, Kristóf, Lilla Barancsuk, and László Blázovics. (2016), "Visual Traffic Load Sensor for Emission Estimation." *Procedia Engineering* vol. (16)8 pp. 47-50.
9. Deng, Z.; Huang, D.; Liu, J.; Mi, B.; Liu, Y. (2020), An Assessment Method for Traffic State Vulnerability Based on a Cloud Model for Urban Road Network Traffic Systems. *IEEE Trans. Intell. Transp. Syst.* Vol.22, pp.7155–7168.
10. Dass, P.; Misra, S.; Roy, C. (2020), T-safe: Trustworthy service provisioning for IoT-based intelligent transport systems. *IEEE Trans. Veh. Technol.* vol. 69, pp.9509– 9517.
11. Dong, Honghui. (2018), "Improved robust vehicle detection and identification based on a single magnetic sensor." *Ieee Access* vol.6 pp.5247-5255.
12. Deng, S., Huang, L., Xu, G., Wu, X., Wu, Z. (2016), On deep learning for trust-aware recommendations in social networks. *IEEE Transactions on Neural Networks Learning Systems*, vol. 28(5), p. 1164-1177. <https://doi.org/10.1109/TNNLS.2016.2514368>
13. Ding, Wenxiu, (2019), "A survey on data fusion in the internet of things: Towards secure and privacy-preserving fusion." *Information Fusion*. vol. 51 pp. 129-144.
14. Eswaraprasad, R.; Raja, L. (2017), Improved intelligent transport system for reliable traffic control management by adopting internet of things. In *Proceedings of the 2017 International Conference on Infocom Technologies and Unmanned Systems (Trends and Future Directions) (ICTUS)*, Dubai, United Arab Emirates. <https://nptel.ac.in/course.html>
15. Fusco, G., Colombaroni, C., Comelli, L., Isaenko, N. (2015), Short-term traffic predictions on large urban traffic networks: applications of network-based machine learning models and dynamic traffic assignment models. *International Conference on Models and Technologies for Intelligent Transportation Systems MT-ITS*. pp. 93-101. <https://doi.org/10.1109/MTITS.2015.7223242>
16. Google Developers (2015), "Google Maps Android API | Google Developers," Google Developers. Available <https://developers.google.com/maps/documentation/android-api/>.
17. Lee, J. H., Hancock, M. G., & Hu, M.-Ch. (2014). Towards an effective framework for building smart cities: Lessons from Seoul and San Francisco. *Technological Forecasting & Social Change*, 89, 80-99. DOI: 10.1016/j.techfore.2013.08.033
18. Manjoro, W.S.; Dhakar, M.; Chaurasia, B.K. (2016), Traffic congestion detection using data mining in VANET. In *Proceedings of the 2016 IEEE Students' Conference on Electrical, Electronics and Computer Science (SCEECS)*, Bhopal, India, pp. 1–6.

19. Mogi, R.; Nakayama, T.; Asaka, T. (2018), Load- balancing method for IoT sensor system using multi-access edge computing, In Proceedings of the 2018 Sixth
20. Tian, Y.; Du, Y.; Zhang, Q.; Cheng, J.; Yang, Z. (2020), Depth estimation for advancing intelligent transport
21. Patole S M, Torlak M, Wang D. (2017), "Automotive radars: A review of signal processing techniques." IEEE Signal Processing Magazine 34.2 (2017): pp. 22-35.
22. Olayode, I.O.; Severino, A.; Campisi, T.; Tartibu, L.K. Prediction of Vehicular Traffic Flow using Levenberg- Marquardt Artificial Neural Network Model: Italy Road Transportation System. Commun.-Sci. Lett. Univ. Zilina, vol.24, pp74–86
23. Nam, T. Pardo, T.A. (2011), Conceptualizing Smart City with Dimensions of Technology, People, and Institutions, Proceedings of the 12th Annual Digital Government Research The conference, pp. 282-291
24. Li, Jin,(2019), "Research on Multiple Sensors Vehicle Detection with EMD-Based Denoising." IEEE Internet of Things Journal.
25. Meneguette, R. Filho, G. P. R. Bittencourt L. F. and Krishnamachari, B. (2015), "Enhancing Intelligence in Inter-Vehicle Communications to Detect and Reduce Congestion in Urban Centers", 20th IEEE Symposium on Computers and Communication (ISCC), pp. 662-667.
26. Sodhro, A.H. (2019), Quality of service optimization in an IoT-driven intelligent transportation system. IEEE Wirel. Commun. Pp.26, 10–1
27. Rakhonde, Mahesh A., S. A. Khoje, and R. D. Komati. (2018), "Vehicle Collision Detection and Avoidance with Pollution Monitoring System Using IoT." 2018 IEEE Global Conference on Wireless Computing and Networking (GCWCN). IEEE, 2018. Kurniawan, Jason, Sensa GS Syahra, and Chandra K. Dewa. "Traffic Congestion Detection.