

Current Aspects in Orthodontic Diagnosis

**Dr. Ritu Bhatia¹, Prof. Dr. Sankalp Sood², Dr. Dimple Chainta³,
Dr. Nishant Negi⁴**

¹MDS Iii Year, Department of Orthodontics and Dentofacial Orthopedics, Himachal Pradesh Govt Dental College and Hospital

²Professor, Department of Orthodontics and Dentofacial Orthopedics, Himachal Pradesh Govt Dental College and Hospital

^{3,4}Assistant Professor, Department of Orthodontics and Dentofacial Orthopedics, Himachal Pradesh Govt Dental College and Hospital

Abstract

Orthodontic diagnostics have evolved significantly, moving from a traditional focus on hard tissue relationships to a more inclusive approach that considers both hard and soft tissues. Originally based on the Angle paradigm, which emphasized ideal dental occlusion, the field now recognizes the importance of soft tissue evaluation. Modern diagnostics incorporate various records, such as dental casts, photographs, radiographs, and clinical measurements. Technological advancements have introduced tools like digitized dental models, virtual dental setups, and intraoral scanners, which improve the accuracy of treatment outcomes. Additionally, three-dimensional (3D) facial imaging and advanced imaging technologies like multi-slice computed tomography (MSCT) and cone-beam computed tomography (CBCT) have enhanced diagnostic precision. While traditional two-dimensional (2D) records remain common, artificial intelligence (AI), especially convolutional neural networks (CNNs), has shown potential for diagnostic accuracy comparable to human examiners, particularly in cephalometric X-ray analysis. These advancements provide efficient and reliable diagnostic methods, improving treatment planning and decision-making in orthodontics.

Keywords: Digitized dental models, Virtual dental setups, Intraoral scanners, 3D facial imaging, Multi-slice computed tomography (MSCT), Cone-beam computed tomography (CBCT), Two-dimensional (2D) records, Artificial intelligence (AI), Convolutional neural networks (CNNs)

INTRODUCTION

In the field of orthodontics, diagnosis is the foundational process, akin to the art of distinguishing one condition from another.¹ Traditional diagnosis focused heavily on hard tissue relationships and adhered to the Angle paradigm, which deemed ideal dental occlusion as "nature's intended ideal form".² As orthodontics evolved, there emerged a growing recognition of the critical role of soft tissue evaluation in Diagnosis and treatment planning. Clinicians began integrating soft tissue assessment alongside hard tissue analysis, marking a pivotal shift towards a more holistic diagnostic approach.³ For accurate diagnosis of hard and soft tissues, various diagnostic tools have been used includes various records such as dental casts, intra- and extra-oral photographs, different radiographic images, and clinical measurements.⁴

Recent technological advancements have revolutionized orthodontic diagnosis, offering new methods for both hard and soft tissue analysis. Innovations such as digitized dental model⁵, virtual dental set-ups⁶, and intraoral scanners (IOSs)⁷ simulate anticipated orthodontic outcomes, while three-dimensional (3D) facial imaging enhances soft tissue visualization for comprehensive diagnosis and treatment planning. Tools like multi-slice computed tomography (MSCT)⁸ and lower dose Cone-Beam Computed Tomography (CBCT)⁹ have improved diagnostic precision. Although conventional two-dimensional (2D) records⁴ remain prevalent, these new technologies enable more individualized record selection. Artificial Intelligence (AI)¹⁰ applications, especially those utilizing Convolutional Neural Networks (CNNs), have shown promise in achieving diagnostic accuracy comparable to human examiners, particularly in cephalometric X-ray analysis.¹¹ These digital diagnostic techniques, which have evolved significantly over the past decade, offer reliable and fast methods that can match the efficiency of experienced clinicians, thereby enhancing diagnosis, treatment planning, and decision making.

CURRENT ADVANCED DIAGNOSIS PROCESS VS CONVENTIONAL DIAGNOSIS PROCESS IN ORTHODONTICS

The current advanced diagnosis process in orthodontics utilizes state-of-the-art methods and tools to improve treatment planning and outcomes. Key advancements include cloud-based 3D data storage, allowing remote access¹² and analysis of patient information, and neural networks that use deep learning algorithms¹³ to predict outcomes based on input data. Orthodontists can enhance these predictions by updating the network with treatment results, fostering continuous learning and refinement. This iterative process results in more precise treatment planning and superior patient outcomes compared to traditional diagnostic methods.

RECENT ADVANCES IN DIAGNOSTIC AIDS USED IN ORTHODONTIC DIAGNOSIS ARE:

- 1 Digital Photography
- 2 3D and 4D Imaging
- 3 3D Radiography
- 4 Intraoral scanners and Digital dental models
- 5 Artificial Intelligence (AI), Machine learning and data mining.

DENTAL PHOTOGRAPHY IN ORTHODONTIC DIAGNOSIS: TRADITIONAL VS. DIGITAL APPROACHES

In orthodontics, where precision is crucial, photography has become an essential tool for diagnosis, treatment planning, and patient documentation.¹⁴ From its inception in the 1800s to its modern application, photography has significantly evolved.

The transition from traditional chemical film to electronic digital sensor changed the essence of photography¹⁵ and has following advantages:

- **Accurate Representation:** 3D photography captures volumetric data of the face and dentition, providing a precise depiction of three-dimensional structures and asymmetries.
- **Enhanced Diagnostic Capabilities:** It improves assessment of dental alignment, soft tissue balance, and facial aesthetics, leading to more comprehensive Diagnosis and treatment planning.
- **Digital Storage and Archiving:** 3D images are stored digitally, reducing physical storage needs and enhancing record access.

- **Precise Analysis:** Software programs enable detailed analysis with features like zooming and rotation, improving diagnostic accuracy.
- **Noninvasive and Radiation-Free:** 3D photography is noninvasive and radiation-free, useful for tracking soft tissue changes and evaluating outcomes, especially in complex cases.
- **Detailed 3D Models:** It allows creation of detailed models for better understanding of craniofacial anatomy and improved treatment planning.

Application of Digital Photography¹²: Digital photography, including Digital Smile Design (DSD), enhances orthodontic diagnosis and has the following applications:

- **Smile Enhancement:** DSD uses 2D photos and advanced software like Digital Smile Design (DSD) software with the integration of cutting-edge technologies like iTero, 3Shape, and others¹⁶ to visualize optimal tooth positioning in 3D, improving communication, diagnosis and treatment planning.
- **3D Facial Analysis:** DSD software places markers on facial photos to assess symmetry and guide treatment. Horizontal and vertical guidelines help evaluate facial symmetry.
- **3D Dental Analysis:** Digital tools align teeth based on facial aesthetics, using software like Invisalign and SureSmile and OnyxCeph¹⁷. This approach integrates facial information for accurate 3D design.
- **Converting 2D to 3D:** 2D images are transformed into (pseudo) 3D models using software like DSD CONNECT, G DESIGN¹⁶ aiding in treatment planning and verification of design parameters.

Digital Imaging and Communications in Medicine (DICOM)¹⁸: DICOM, developed by ACR and NEMA, standardizes medical image transfer and data management. It supports diagnosis, treatment planning, and provides a 3D record of malocclusion and treatment outcomes.

3D TO 4D IMAGING FOR ORTHODONTIC DIAGNOSIS

The use of two-dimensional (2D) imaging technology, including cephalometric and panoramic radiographs and photographs has been common in orthodontics. However, these methods have limitations. They often suffer from radiographic projection errors, distortion, and enlargement, as well as exposure to radiation. Landmark identification can be challenging, leading to inaccuracies in measurements. Additionally, assessing soft tissue balance is restricted with 2D imaging.¹⁹

3D and 4D imaging in orthodontics are:

- A) Conventional computed and cone-beam computerized tomography (CT/CBCT)
- B) 3D Laser Scanning
- C) Stereophotogrammetry
- D) Magnetic Resonance Imaging

NEW DIMENSION- 4D AND ITS APPLICATIONS

- E) 4D Imaging and Video Stereophotogrammetry
- D) Ultrasonography

CONVENTIONAL COMPUTED AND CONE-BEAM COMPUTERIZED TOMOGRAPHY (CT/CBCT)

CT (Computerized Axial Tomography) technology has revolutionized medical imaging by providing three-dimensional views of anatomical structures through cross-sectional images. It offers valuable information on both hard and soft tissues, making it a powerful tool in various medical fields, including orthodontics. Traditional fan beam tomography, while effective, is associated with high radiation doses and expense, limiting its practicality for routine orthodontic applications.²⁰ In response to these limitations,

CBCT was introduced as an alternative imaging modality. CBCT offers several advantages over traditional CT, including lower cost and radiation dose, while still providing detailed 3D visualization of craniofacial structures.²¹ As a result, CBCT has become increasingly popular in orthodontic practice, enabling more accurate diagnosis, treatment planning, and assessment of treatment outcomes.²²

Uses of CBCT in orthodontics¹⁹

CBCT can be used for several approaches in orthodontic patients.

- Enhances diagnosis such as identification of the location of impacted and supernumerary teeth.
- Quantifies the magnitude of the defect such as in patients with CLP.
- Improves differential diagnosis of malocclusions such as craniofacial anomalies and syndromes.
- Determination whether the discrepancy is uni- or bilateral is required such as facial asymmetry especially for patients with orthognathic surgery.
- Helps to identify the etiology of the malocclusion such as TMJ disorders.
- Determination of the quality and quantity of bone and the anatomical structures
- Determination of alveolar boundary conditions is needed.
- 3D airway morphology is needed especially for the therapy of obstructive sleep apnea.

3D LASER SCANNING

Laser scanning offers a non-invasive approach for capturing facial morphology and soft tissue. Laser scanning has accuracy in producing 3D facial models while being less expensive and easy to handle compared to other techniques.²³

Applications of Laser Scanning¹⁹:

- 3D analysis of facial morphology
- Evaluation of facial symmetry
- Assessment of cross-sectional growth changes
- Evaluation of treatment and surgical outcomes
- Assessment of patients with cleft lip palate (CLP)
- Examination of soft tissue landmarks
- Scanning of dental casts
- Reliability and Measurement Accuracy

Laser scanning, along with stereophotogrammetry, is a reliable soft tissue imaging system, with a maximum measurement error of less than 1mm

STEREOPHOTOGRAMMETRY

Stereophotogrammetry is a technique involves photographing objects with a pair of configured cameras, used to create 3D models of objects or subjects by analyzing multiple 2D images taken from different angles.²⁴

Uses of stereophotogrammetry in diagnosis

- Stereophotogrammetry captures intricate details of facial morphology, including the shape and contours of soft tissues
- provides accurate preoperative assessments. Surgeons can analyze the 3D facial model to plan the exact adjustments needed to achieve facial harmony and functional improvements.

- allows for detailed evaluation of facial deformities in cleft lip and palate, facilitating personalized treatment plans tailored to each patient's unique anatomy and needs.

MAGNETIC RESONANCE IMAGING (MRI)

- MRI provides accurate and detailed information about craniofacial abnormalities and disorders, particularly in the temporomandibular joint (TMJ).²⁵
- used to assess the tongue size and volume correctly
- valuable for studying velopharyngeal function²⁶, especially in patients with cleft palate²⁷, allowing measurement of airway space, motion, and function to determine velopharyngeal incompetence.

ULTRASONOGRAPHY²⁸

In orthodontics, ultrasonography (USG) is gaining traction as a complementary diagnostic tool to traditional radiographic techniques, providing additional information while addressing radiation exposure concerns. It is valuable for assessing structural changes in masticatory muscles, reliably quantifying muscle thickness and cross-sectional area, particularly in the masseter muscle, aiding orthodontic diagnosis and treatment planning.

Ultrasonography enables visualization of the TMJ dynamics, including disc position, condylar movement, and joint morphology. It can aid in diagnosing TMJ disorders and also useful for assessing tongue volume, posture, and movement dynamics during swallowing and speech. It can also visualize hyoid bone displacement, providing insights into oropharyngeal function and airway patency

INTRAORAL SCANNING AND DIGITAL MODELS IN ORTHODONTICS

Intraoral scanning and digital models revolutionized orthodontic diagnosis and treatment planning by eliminating the discomfort, inaccuracies, and complexities of traditional impressions.²⁹ Introduced with CAD/CAM technology in 1971 and advanced by systems like CEREC³⁰ and OrthoCAD³¹, digital scanning offers precise, comfortable, and allergy-free alternatives, particularly benefiting young children and those with gag reflexes.

INTRAORAL SCANNERS (IOSs)³²

Intraoral scanners (IOS) are noninvasive devices that capture optical impressions of dental arches and tissues by projecting light onto them. Imaging sensor cameras capture these images, which are processed into 3D surface models of the teeth and tissues. The resulting 3D image, displayed digitally rather than as traditional stone or plaster models, is stored in STL (Standard Tessellation Language) file format and can be transferred globally.

Commercially Available Intraoral Scanners³³

TRIOS Classic and TRIOS 3 Mono Intraoral Scanner by 3Shape, Copenhagen, Denmark

- LAVA C.O.S. by 3M ESPE, St. Paul, MN, USA
- CEREC Omnicam by Sirona Dental Systems, Bensheim, Germany
- iOC intraoral scanner by Cadent, Carlstadt, NJ, USA
- CS3600 Carestream by Dental, Rochester, NY, USA
- iTero Element intraoral scan by Align Technologies, San Jose, CA, USA(Fig.42.)
- Lythos by Ormco, Orange, CA, USA
- 3 Shape R700 3D Scanner; 3 Shape A/S, Copenhagen, Denmark.

Advantages of Intraoral Scanners³⁴

Intraoral scanners offer several advantages over traditional impression-taking methods in orthodontics like Accurate Digital Impressions and offers highly accurate digital impressions, improving patient comfort and eliminating the need for physical storage, facilitate easy electronic data transfer and immediate access, enhancing efficiency and streamlining orthodontic practices.

DIGITAL MODELS³⁵

Traditional plaster study models, essential for orthodontic diagnosis and treatment, have limitations such as susceptibility to breakage, cumbersome storage, and high costs for transport and duplication. Digital models address these issues by offering durability, reducing storage needs, and facilitating easy data transfer and sharing. This makes digital models a more efficient and cost-effective alternative to plaster models in orthodontic practice.

Various computer-based three-dimensional models:

- SureSmile (OraMetrix Inc, Dallas, Tex)
- OrthoCAD (Cadent Inc, Carlstadt, NJ)
- E-Models (GeoDigm Corporation Inc, Chanhassen, Minn)
- OrthoProof USA digital models

Digital models offer durability, ease of storage, remote accessibility, and easy sharing, while being cost-efficient and enhancing patient engagement. They also support environmental sustainability and provide high accuracy in capturing dental anatomy.

Intraoral scanners and digital models have revolutionized orthodontic diagnosis by providing precise measurements of parameters like arch width, tooth size, and occlusal relationships, enhancing treatment accuracy.³³ Digital models enable detailed assessments of tooth alignment, arch form, and discrepancies, using specialized software for comprehensive analysis and improved treatment planning.³⁶ Intraoral scanners enhance orthodontic diagnosis by integrating data on dental classification, overjet, and overbite into digital models, allowing for personalized treatment plans. They improve communication with patients through digital simulations of proposed treatments, offer additional diagnostic insights like root shape and bone density, and enable virtual setups for detailed case presentations, aesthetic predictions, and optimized treatment planning.³⁷

ARTIFICIAL INTELLIGENCE (AI)

Artificial intelligence (AI) is a new breakthrough in technological advancements based on the concept of simulating human intelligence. These emerging technologies highly influence the diagnostic process in the field of medical sciences, with enhanced accuracy in diagnosis.³⁸

1. AI Models^{5,39}:

- **Machine Learning (ML):** AI models use ML algorithms trained on large datasets for predictive accuracy, often without human intervention.
- **Deep Learning:** A subset of ML using neural networks with multiple layers, including:
 - Artificial Neural Networks (ANNs): Consist of interconnected layers of neurons for complex data processing.
 - Convolutional Neural Networks (CNNs): Specialized for image analysis, using convolutional and pooling layers to extract and process features.

2. Applications in Orthodontic Diagnosis:

- **Facial and Intraoral Photographs¹⁰**: AI analyzes images to identify malocclusions, facial asymmetries, and other issues, improving diagnostic accuracy and treatment planning.
- **Cephalometric Analysis⁴⁰**: AI automates landmark identification and measurement on cephalometric images, enhancing accuracy and reducing analysis time. In orthodontics, the adoption of AI has led to the creation of various AI-based programs, such as: WeDoCeph (Audax, Ljubljana, Slovenia), WebCeph (Assemble Circle, Seoul, Republic of Korea), CephX (ORCA Dental AI, Las Vegas, NV, USA)⁴⁰.
- **Cone Beam Computed Tomography (CBCT)¹⁰**: AI algorithms, such as random forest algorithm and deep convolutional neural networks (CNNs), have been developed to automate the segmentation process, demonstrating high accuracy and efficiency compared to manual methods. Therefore AI improves segmentation and landmark identification in CBCT scans, increasing efficiency and accuracy. Companies like Materialize, Relu and Diagnocat have recently introduced AI-based segmentation and registration tools for CBCT.
- **Digital Dental Models¹⁰**: AI assists in tooth segmentation and landmark localization in digital models, improving diagnostic precision and reducing human error.
- **Skeletal Age Determination¹⁴¹**: AI enhances skeletal maturity assessments using cervical vertebral maturation (CVM) or wrist X-rays, offering more reliable evaluations.
- **TMJ Evaluation⁴⁰**: AI systems can conduct automated, detailed assessments of joint morphology, potentially enabling early. Integrating AI algorithms capable of detecting changes across all TMJ structures could significantly enhance the accuracy and effectiveness of TMJ diagnosis like temporomandibular joint osteoarthritis (TMJOA).
- **Biomarker Analysis⁴⁰**: AI combines imaging and biomarker data to predict temporomandibular joint osteoarthritis (TMJOA), enhancing early detection and patient outcomes.

3. AI and Genomics⁴²:

- AI processes vast genomic data, identifying genetic variations and predicting pathogenicity.
- Deep learning models accurately identify and predict the effects of genetic variants.
- AI predicts the functional impacts of noncoding variants and enhancer regions.
- AI analyzes gene expression data for insights into gene regulation and disease mechanisms.
- AI detects DNA binding sites and methylation changes, impacting gene expression regulation.

AI advancements are transforming orthodontics through improved diagnostic accuracy, efficiency, and personalization, while also addressing practical challenges and integrating with genomics for precision medicine.

CONCLUSION

Technological advancements have significantly transformed orthodontic diagnosis, marking a departure from traditional methods that relied heavily on hard tissue analysis. Modern diagnostic approaches now integrate both hard and soft tissue evaluations, utilizing tools such as digitized dental models, intraoral scanners, 3D and 4D imaging, and AI.

Digital innovations, including advanced imaging techniques like CBCT and laser scanning, provide detailed and accurate assessments of craniofacial structures, improving diagnosis and treatment planning. AI further enhances diagnostic precision through machine learning algorithms and neural networks, optimizing treatment outcomes and integrating with genomics for personalized care.

The evolution from conventional methods to advanced digital and AI-driven approaches has led to more accurate, efficient, and personalized orthodontic care, streamlining workflows and enhancing patient outcomes. As technology continues to advance, orthodontic practice is poised to benefit from ongoing innovations, paving the way for even more precise and effective treatments in the future.

RECENT APPLICATIONS AND SOFTWARES USED FOR ORTHODONTIC DAIGNOSIS

1. MOBILE APPLICATIONS FOR CEPHALOMETRIC TRACING

S No	Mobile Applications	Developer Company Name
1.	OneCeph (v Beta 9)	NXS
2.	CephNinja S or Pro (v 3.66)	Cyncronus LLC
3.	Cephalometric analysis	Bogdan SCANTEIE
4.	Orthonet	Bogdan SCANTEIE
5.	Cephalometria de Ricketts	CR Education
6.	Cephalometria de Steiner	CR Education
7.	Cephalometria de Ricketts 2	CR Education
8.	EasyCeph (v 3.2)	Dr KTSS Rajajee
9.	CEPH App	Technocenter Orthokinotor
10.	WebCeph	Assemble circle

2. DIGITAL SMILE DESIGN SOFTWARES

S No.	Digital smile design softwares	Developer Company Nam
1.	Photoshop CS6	Adobe Systems Incorporated
2.	Keynote	iWork, Apple, Cupertino, California, USA
3.	Aesthetic Digital Smile Design	ADSD- Dr. Valerio Bini
4.	Cerec SW 4.2	Sirona Dental Systems Inc.
5.	Smile Designer Pro (SDP)	Tasty Tech Ltd.
6.	Planmeca Romexis Smile Design (PRSD)	Planmeca Romexis
7.	VisagiSMile	Web Motion Ltd.
8.	DSS	EGSolution
9.	Microsoft PowerPoint	Microsoft Office, Microsoft, Redmond, Washington, USA
10.	DSD App	DSDApp LLC by Coachman
11.	Guided Positioning System (GPS)	Navstar GPS,USA
12.	NemoDSD (3D)	NEOTech,Chatsworth, CA
13.	Exocad	DentalCAD 2.3, Spain
14.	Smilecloud, ADN3D biotech	ADN3D biotech

3. INTRAORAL SCANNERS

S No.	INTRAORAL SCANNERS	Developer Company Name
1.	CEREC Omnicam	Sirona Dental Systems, Bensheim, Germany
2.	Carestream CS 3700	Dental, Rochester, NY, USA
3.	CEREC Primescan	Sirona Dental Systems, Bensheim, Germany
4.	Medit i500	Medit, Seoul, South Korea
5.	iTero element 5d	Align Technologies, San Jose, CA, USA
6.	Virtuo Vivo	Dental Wings, Straumann AG
7.	TRIOS Classic and TRIOS 3 and TRIOS 4	3Shape, Copenhagen, Denmark
8.	True Definition Scanner	3M ESPE, St. Paul, MN, USA
9.	CondorScan	Condor Technologies NV, Ghent, Belgium
10.	Planmeca Emerald S and Planmeca Romexis	Planmeca OY, Finland
11.	LAVA C.O.S	3M ESPE, St. Paul, MN, USA
12.	3 Shape R700	3 Shape A/S, Copenhagen, Denmark
13.	Lythos	Ormco, Orange, CA, USA
14.	iOC intraoral scanner	Cadent, Carlstadt, NJ, USA

4. COMPUTER-BASED THREE-DIMENSIONAL MODELS

S No.	Computer-based three-dimensional models	Developer Company Name
1.	SureSmile	OraMetrix Inc, Dallas, Tex
2.	OrthoCAD (Cadent Inc, Carlstadt, NJ)	Cadent Inc, Carlstadt, NJ
3.	E-Models	GeoDigm Corporation Inc, Chanhassen, Minn)
4.	OrthoProof	USA digital models

5. AI-BASED ORTHODONTIC DIAGNOSTIC SOFTWARES

S No.	AI-based orthodontic diagnostic softwares	Developer Company Name
1.	Dental Monitoring (DM)	2023 Dental Monitoring, Paris
2.	Invisalign Virtual Care AI	Align Technology, Inc, USA

REFERENCES

1. Scott EJ. Evolution of a rational orthodontic diagnosis. *International Journal of Orthodontia and Oral Surgery*. 1937 Apr 1;23(4):358–69.
2. Angle EH (Edward H. Treatment of malocclusion of the teeth and fractures of the maxillae : Angle's system. Philadelphia : S. S. White Dental Mfg. Co.; 1900. 342 p.
3. Ackerman JL, Proffit WR, Sarver DM. The emerging soft tissue paradigm in orthodontic diagnosis and treatment planning. *Clin Orthod Res*. 1999 May;2(2):49–52.
4. Rischen RJ, Breuning KH, Bronkhorst EM, Kuijpers-Jagtman AM. Records needed for orthodontic diagnosis and treatment planning: a systematic review. *PLoS One*. 2013;8(11):e74186.
5. Peluso MJ, Josell SD, Levine SW, Lorei BJ. Digital models: An introduction. *Seminars in Orthodontics*. 2004 Sep 1;10(3):226–38.
6. Baan F, de Waard O, Bruggink R, Xi T, Ongkosuwito EM, Maal TJJ. Virtual setup in orthodontics: planning and evaluation. *Clin Oral Invest*. 2020 Jul 1;24(7):2385–93.
7. Angelone F, Ponsiglione AM, Ricciardi C, Cesarelli G, Sansone M, Amato F. Diagnostic Applications of Intraoral Scanners: A Systematic Review. *Journal of Imaging*. 2023 Jul;9(7):134.
8. Goldman LW. Principles of CT: Multislice CT. *Journal of Nuclear Medicine Technology*. 2008 Jun 1;36(2):57–68.
9. Mozzo P, Procacci C, Tacconi A, Martini PT, Andreis IA. A new volumetric CT machine for dental imaging based on the cone-beam technique: preliminary results. *Eur Radiol*. 1998;8(9):1558–64.
10. Miranda F, Barone S, Gillot M, Baquero B, Anchling L, Hutin N, et al. Artificial Intelligence Applications in Orthodontics. *Journal of the California Dental Association*. 2023 Apr 13;51.
11. Kunz F, Stellzig-Eisenhauer A, Zeman F, Boldt J. Artificial intelligence in orthodontics : Evaluation of a fully automated cephalometric analysis using a customized convolutional neural network. *J Orofac Orthop*. 2020 Jan;81(1):52–68.
12. Harrell WE. 3D Diagnosis and Treatment Planning in Orthodontics. *Seminars in Orthodontics*. 2009 Mar 1;15(1):35–41.
13. Peluso MJ, Josell SD, Levine SW, Lorei BJ. Digital models: An introduction. *Seminars in Orthodontics*. 2004 Sep 1;10(3):226–38.
14. Ren R, Luo H, Su C, Yao Y, Liao W. Machine learning in dental, oral and craniofacial imaging: a review of recent progress. *PeerJ*. 2021;9:e11451.
15. Peter Sheridan | *Clinical Photography in Dentistry*. Quintessence Publishing Company,
16. Us Y, Yuzbasioglu E, Albayrak B, Özdemir G. Digital Smile Design : Predictable Results. *Journal of Experimental and Clinical Medicine*. 2021 May 19;38:123–8.
17. Nguyen T, Jackson T. 3D technologies for precision in orthodontics. *Seminars in Orthodontics*. 2018 Dec 1;24(4):386–92.
18. WG-22 Dentistry [Internet]. DICOM. Available from: <https://www.dicomstandard.org/activity/wgs/wg-22>
19. Erten O, Yılmaz BN. Three-Dimensional Imaging in Orthodontics. *Turk J Orthod*. 2018 Sep;31(3):86–94.
20. Melsen B, Dalstra M. Rational Basis for Transitioning from 2D to 3D Radiographic Imaging in Orthodontic Practice and Research. In: *Cone Beam Computed Tomography in Orthodontics: Indications, Insights, and Innovations* . John Wiley & Sons, Ltd; 2014 p. 81–101

21. Brooks SL, Ludlow JB. Cone Beam Computed Tomography in Orthodontics: Perspectives on Radiation Risk. In: Cone Beam Computed Tomography in Orthodontics: Indications, Insights, and Innovations. John Wiley & Sons, Ltd; 2014. p. 67–80.
22. Vannier MW, Jiang B. The Future of Cone Beam Computed Tomography and 3D Imaging in Orthodontics. In: Cone Beam Computed Tomography in Orthodontics: Indications, Insights, and Innovations. John Wiley & Sons, Ltd; 2014. p. 103–12.
23. Djordjevic J, Pirttiniemi P, Harila V, Heikkinen T, Toma AM, Zhurov AI, et al. Three-dimensional longitudinal assessment of facial symmetry in adolescents. *Eur J Orthod*. 2013 Apr;35(2):143–51.
24. Hajeer MY, Ayoub A, Millett D, Bock M, Siebert J. Three-dimensional imaging in orthognathic surgery: The clinical application of a new method. *The International journal of adult orthodontics and orthognathic surgery*. 2002 Feb 1;17:318–30.
25. Ferreira LA, Grossmann E, Januzzi E, de Paula MVQ, Carvalho ACP. Diagnosis of temporomandibular joint disorders: indication of imaging exams. *Braz J Otorhinolaryngol*. 2016 Jan 8;82(3):341–52.
26. Perry JL, Sutton BP, Kuehn DP, Gamage JK. Using MRI for Assessing Velopharyngeal Structures and Function. *The Cleft palate-craniofacial journal : official publication of the American Cleft Palate-Craniofacial Association*. 2014 Jul;51(4):476.
27. Yan X, Xing G, Wang X, Li J, Sun Q, Shang X. Diagnostic Value and Application of Prenatal MRI and Ultrasound in Fetal Cleft Lip and Palate. *Contrast Media & Molecular Imaging*. 2022 May 18;2022:e9410161.
28. Orhan K, Görürgöz C. USG Imaging in Orthodontics. In: Orhan K, editor. *Ultrasonography in Dentomaxillofacial Diagnostics*. Cham: Springer International Publishing; 2021. p. 227–49.
29. Ender A, Attin T, Mehl A. In vivo precision of conventional and digital methods of obtaining complete-arch dental impressions. *J Prosthet Dent*. 2016 Mar;115(3):313–20.
30. Logozzo S, Franceschini G, Kilpela A, Caponi M, Governi L, Blois L. A Comparative Analysis of Intraoral 3d Digital Scanners for Restorative Dentistry. *The Internet Journal of Medical Technology*. 2011 Jan 1;Volume 5:1–18.
31. Jedliński M, Mazur M, Grocholewicz K, Janiszewska-Olszowska J. 3D Scanners in Orthodontics—Current Knowledge and Future Perspectives—A Systematic Review. *International Journal of Environmental Research and Public Health*. 2021 Jan;18(3):1121.
32. Alassiry A. Clinical aspects of digital three-dimensional intraoral scanning in orthodontics – A systematic review. *The Saudi Dental Journal*. 2023 May 1;35.
33. Harrell W. *3D Diagnosis and Treatment Planning in Orthodontics: An Atlas for the Clinician* | SpringerLink
34. Mangano F, Gandolfi A, Luongo G, Logozzo S. Intraoral scanners in dentistry: a review of the current literature. *BMC Oral Health*. 2017 Dec 12;17:149.
35. Torassian G, Kau CH, English JD, Powers J, Bussa HI, Marie Salas-Lopez A, et al. Digital models vs plaster models using alginate and alginate substitute materials. *Angle Orthod*. 2010 Jul;80(4):662–9.
36. Ozturk T, Yagci A. Association between incisor positions and amount of interdental stripping in patients undergoing orthodontic treatment. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2021 Jun 1;159(6):e439–48.
37. Ghoneima A, Allam E, Kula K, Windsor L. Three-Dimensional Imaging and Software Advances in Orthodontics. In: *Orthod Basic Asp Clin Considerations*. 2012.

38. Albalawi F, Alamoud KA. Trends and Application of Artificial Intelligence Technology in Orthodontic Diagnosis and Treatment Planning—A Review. *Applied Sciences*. 2022 Jan;12(22):11864.
39. Liu J, Zhang C, Shan Z. Application of Artificial Intelligence in Orthodontics: Current State and Future Perspectives. *Healthcare (Basel)*. 2023 Oct 18;11(20):2760.
40. Kazimierczak N, Kazimierczak W, Serafin Z, Nowicki P, Nożewski J, Janiszewska-Olszowska J. AI in Orthodontics: Revolutionizing Diagnostics and Treatment Planning-A Comprehensive Review. *J Clin Med*. 2024 Jan 7;13(2):344.
41. Carey CW. Diagnosis in Orthodontics*. *The Angle Orthodontist*. 1950 Jul 1;20(3):155–61.
42. *Orthodontics: Current Principles and Techniques* by Graber, Vig, Huang, Fleming. 7th edition, 2023.